

Features and Benefits



- ❑ Panic door system is a flexible accredited system offering emergency egress for a wide range of applications
- ❑ Suitable for use in high frequency applications.
- ❑ For use with doors up to 200kg.
- ❑ Safe to use on escape route doors.
- ❑ Standard Horizontal bar projection up to 150mm.
- ❑ A 'push bar' type A panic device.
- ❑ For use with outward opening single or double doors.
- ❑ ICIM accredited performance.
- ❑ For use in conjunction with one piece keeps.
- ❑ 10 year mechanical guarantee.
- ❑ BS EN ISO 9001/2008 Quality Management System.

Technical Information

Assessment Specification

Fully compliant with EN1125:2008
Tested to 200,000 cycles

Additional Information

Box Qty: 1
Also available External access kits
and Double Door Kits.


WINLOCK

Unit B, Hortonwood 31, Telford, Shropshire, TF1 7GS
Tel:01952 602250 Fax:01952 602255.
Email:sales@winlock.co.uk Web:www.winlock.co.uk

Yale Multi-Point Panic Door Lock

Technical Drawing

Lock & LH 1 Piece Keep



WINLOCK


Unit B, Hortonwood 31, Telford, Shropshire, TF1 7GS

Tel:01952 602250 Fax:01952 602255.

Email:sales@winlock.co.uk Web:www.winlock.co.uk

Window
&
Door
Hardware
Solutions

Technical Drawing



Part Numbers

Part No.	Description	Finish
DLPED1007	Panic Exit Device - Kit Left Hand 3Hook 4 Roller One Piece Keep	Silver
DLPED1008	Panic Exit Device - Kit Right Hand 3Hook 4 Roller One Piece Keep	Silver
DLPED1001	Panic Device Outside Access Device	Black
DLPED2001	Anti-Panic Double Door Kit Panic Exit Device	Silver

WINLOCK

Unit B, Hortonwood 31, Telford, Shropshire, TF1 7GS

Tel:01952 602250 Fax:01952 602255.

Email:sales@winlock.co.uk Web:www.winlock.co.uk